LEGEND

Ranges by Au (ppb)	Ranges by Ag (ppm)	Ranges by As (ppm)	Ranges by Sb (ppm)	Ranges by Hg (ppm)	Ranges by Pb (ppm)	Ranges by Zn (ppm)	Ranges by Cu (ppm)
17.5 to 68.4 (3)	2.05 to 11.1 (3)	207.1 to 864 (3)	10.7 to 51.6 (3)	0.35 to 1.62 (2)	198 to 1,300 (2)	364 to 1,100 (3)	24.4 to 43.7 (3)
11.4 to 17.5 (5)	1.03 to 2.05 (2)	152.7 to 207.1 (7)	7.34 to 10.7 (5)	0.24 to 0.35 (1)	104 to 198 (2)	238 to 364 (1)	18.4 to 24.4 (5)
3.8 to 11.4 (11)	0.32 to 1.03 (11)	71 to 152.7 (10)	3.76 to 7.34 (9)	0.13 to 0.24 (7)	32.1 to 104 (11)	126 to 238 (15)	13 to 18.4 (11)
1 to 3.8 (9)	0.14 to 0.32 (7)	31.3 to 71 (7)	2.03 to 3.76 (16)	0.08 to 0.13 (13)	20.6 to 32.1 (9)	64 to 126 (8)	7.3 to 13 (12)
0 to 1 (16)	0 to 0.14 (21)	0 to 31.3 (17)	0 to 2.03 (11)	0 to 0.08 (21)	0 to 20.6 (20)	0 to 64 (17)	0 to 7.3 (13)





Unit Electrode Spacing = 25.0 m.
Model resistivity with topography
Iteration 5 RMS error = 3.5



Model IP with topography
Iteration 5 RMS error = 0.84
Unit Electrode Spacing = 25.0 m.

Horizontal scale is 10.94 pixels per unit spacing
Vertical exaggeration in model section display = 1.00
First electrode is located at 8000.0 m.
Last electrode is located at 10150.0 m.



ALMADEN MINERALS LTD.

CERRO COLORADO PROJECT

Date: May 2006	LINE 1,853,200N - Geophysics and Soil Samples
Author: RJP	
Office: AMM	
Drawing: 53200	
Scale: 1:10,000	Projection: UTM Zone 14 (NAD 27)

0 250 500
meters